

Medical Discussion Guides: Less Confusion, Better Decisions for Patients

**David Kendall**

Senior Fellow for Health and Fiscal Policy

[@DavidBKendall](https://twitter.com/DavidBKendall)

**Elizabeth Quill**

Former Policy Advisor, Economic Program

Hearing the words, “you have cancer,” flood a patient with anxiety and fear. As much as a doctor may want to help a patient, that moment is not the right time for a patient to make a major decision about a course of medical treatment. That is why doctors at the Dartmouth Hitchcock Medical Center give patients with breast cancer and other dreaded diseases a “pre-visit” medical discussion guide to review before they meet with a surgeon about treatment options.¹ The guide includes a DVD that shows how women with breast cancer have faced the disease and how they determined the best treatment option for them.

The guide, which draws on scientific evidence to avoid any biases, explains the difference between a mastectomy and a lumpectomy, which have similar success rates in beating cancer. It allows women to consider this tough choice at a time of their choosing. When given the opportunity to make an informed decision, women generally chose the more conservative lumpectomy. Afterwards, patient surveys show they also feel the care they received was better compared to those who did not use the discussion guides. If doctors and

patients widely used medical discussion guides for common but complicated health problems, patients would be more satisfied with their care. They would also save money—trimming \$11.4 billion from Medicare over ten years for four common ailments

This idea brief is one of a series of Third Way proposals that cuts waste in health care by removing obstacles to quality patient care. This approach directly improves the patient experience—when patients stay healthy, or get better quicker, they need less care. Our proposals come from innovative ideas pioneered by health care professionals and organizations, and show how to scale successful pilots from red and blue states. Together, they make cutting waste a policy agenda instead of a mere slogan.

What are Patients Experiencing?

In a word: confusion.

With a major disease or injury, people sometimes feel they do not get a clear explanation of the problem or the options to treat it. In fact, many health problems do not have one obvious course of treatment but, instead, several options with various possible outcomes. Patients facing chronic back pain or deciding on screening for early-stage breast or prostate cancer have options ranging from supportive care with no active treatment to intensive treatment interventions.²

Patients and doctors need to communicate clearly so patients get the care that is right for them.

When considering numerous treatment, patients can be under-informed, overwhelmed, or misinformed in ways that add to their confusion and lead to a bad choice for care.

Under-informed patients: Physicians often do not have time to provide all of the information necessary, in a structured and consistent format, for patients to make an informed decision about their care. With much medical care, patients do fine deferring choices to their physician because of their doctor's expertise. But it doesn't work well for situations where the

evidence is mixed or where a patient's preferences could change the course of treatment. For instance, sometimes physicians don't provide patients with breast cancer with a comparison of how patients fare from mastectomies vs. lumpectomies. One study showed that under-informed breast cancer patients were more likely to choose a double mastectomy over a lumpectomy. ³


Overwhelmed patients: Further, even when physicians present patients with accurate information regarding their treatment choices, it can be difficult to comprehend and process. ⁴ For example, it becomes extremely challenging for patients presented with stressful news about their health to make optimal decisions for themselves. People who are in this elevated "hot state" are less likely to process information in a systematic way, which can lead to decisions that are not aligned with their values and preferences. They are also more likely to defer the decision to a trusted physician. Hot state decision-making refers to cognitive biases people experience when they have to make decisions under extreme stress or elevated emotions. ⁵ For example, breast cancer patients have to make a choice about their care when the scientific evidence is not sufficient to determine the best treatment. They can't make the best decision when they are in a "hot state."

Further, the amount of information provided to patients when making important health care decisions can also easily overwhelm the patient when physicians provide too much or too little information and patients have additional questions requiring clarification. This leads to information overload, the over-abundance of information that can make it difficult to make a decision and can result in decision paralysis.

Misinformed: In a small, but not insignificant, number of situations, providers guide patients to treatment options that are expensive and not in the interests of the patient. Physicians may not be deliberately misleading patients, but the current incentives in fee-for-service medicine encourage some doctors to use many more of these more expensive

procedures. For example, the rates of mastectomies for breast cancer treatment vary widely by region, even for the same type of patient. ⁶


What happens when patients are under-informed, overwhelmed, or misinformed about their treatment choices? They often end up getting a more expensive treatment, which they do not need or truly want. Patients with breast cancer have a mastectomy instead of lumpectomy. Patients with coronary heart disease, which is blockage or narrowing of the arteries, get heart surgery instead of treating it with medication. Patients with osteoarthritis get hip and knee replacements instead of physical therapy. And patients with lower back pain have a microdiscectomy, which is a disk removal that does not involve any other part of the spine, rather than physical therapy and related medication. The numbers of excess surgeries add up as the chart below shows for one year, 2012. ⁷



Source: Avalere, 2014.

Where are Innovations Happening?

Innovative efforts across the United States are helping patients make the good health care decisions. These initiatives all use simple, informative, and objective “discussion guides” that allow patients and doctors to have a productive conversation about medical options. Also known as decision aids, medical discussion guides prompt an important conversation between patients and physicians that may not happen without them.




Discussion guides are tools that patients can utilize to educate themselves about options for their care and likely outcomes. Patients can navigate through a range of modalities, including online, on paper, using a telephone, or watching a DVD. Health care professionals use the information from the discussion supplement information they give to patients, and the guides also give patients the chance to take an active role in decisions about their care where their preferences matter.

Discussion guides are part of a larger process called shared decision-making between patients and health professionals. Shared decision-making is a structured way for both to discuss medical decisions based on evidence-based information about potential courses of treatment and outcomes.⁸ Patients who use discussion guides also report greater satisfaction with their care and their decisions.⁹

In 2007, the Washington State legislature passed a law expanding legal protection from malpractice lawsuits for health professionals who use shared decision-making and discussion guides.¹⁰ The law allows health professionals to use a state-certified discussion guide as evidence of shared

decision-making.¹¹ Group Health Cooperative, a health system that covers residents in Washington State and Northern Idaho, incorporated 12 discussion guides involving six specialties including orthopedics, gynecology, and general surgery.¹² All patients undergoing the relevant health concerns had access to these discussion guides.

A study of the Group Health results focused on patients with knee and hip arthritis. A year and a half after introducing the discussion guides, Group Health found that the surgery rates for hip and knee replacements fell, along with total cost of care.¹³ Patients were also happier with their outcomes and fewer expressed regret about their choices.¹⁴



Many other efforts to enhance and increase the use of shared decision-making and discussion guides are underway throughout the country. In that same year, the Maine legislature authorized the Maine Quality Forum to begin an advisory group in order to study shared decision-making and make recommendations on how to implement discussion guides in the state.¹⁵ The advisory group recommended implementing a Maine shared decision-making demonstration test in order to advance shared decision-making within the state.¹⁶ MaineHealth now uses medical discussion guides as routine care in several practice areas including patients considering knee and hip replacements.¹⁷

How Can We Bring Solutions to Scale?

These successful state experiments are ready to be scaled up as a nationwide program to better align care with patient needs and wishes. Public policy should ensure that a

discussion guide, when available, is utilized before a major course of care begins for common ailments.

Should men get a test to check for prostate cancer? The U.S. Preventive Services Task Force (USPSTF) currently recommends against testing healthy men of all ages because it concluded that the harm likely outweighs the benefits.¹⁸ The test, called a Prostate-Specific Antigen (PSA) test, does not indicate cancer directly; it only indicates the possibility of cancer. False-positive results from the tests are common. Only one in four men with positive tests have prostate cancer.¹⁹ However, many physicians believe that the tests are the best way to detect prostate cancer in the early stages.²⁰ A discussion guide on prostate cancer testing outlines the pros and cons of undergoing the test. Such discussion guides have significantly reduced the number of PSA tests.²¹

What makes a good discussion guide?

A discussion guide succeeds when a patient identifies what is important to them when choosing a course of care and applies this knowledge to the decisions about the care. Discussion guides should frame the decision and outline all the information necessary to make the decision in an unbiased way and in terms the patient will understand. This information includes all of the courses of treatment, likely outcomes, and also former patients reflecting on their experiences with the treatments or options they chose.²²

Discussion guides should be crafted to present the options in a way that does not overwhelm the patient. For example, one discussion guide that uses a web-based browser asks patients to choose between two treatment scenarios. The next slides continue to narrow down the options by helping the patient to focus on several small decisions at a time.²³ Physicians

give patients an overview of their options with the benefits and risks of each treatment option and can use this overview to discuss their options and follow up questions.

What are some barriers within the health care system?

Most physicians don't use formal discussion guides with their patients, and there are a number of reasons for the limited adoption. One study distributed large numbers of discussion guides to physicians and found that, although the majority of physicians said they would like to use discussion guides, few actually did.²⁴ Another study found physicians underestimated how many patients were interested in shared decision-making. Instead, they assumed that many of those patients wanted to delegate the decision-making to them.²⁵

Another obstacle is that the existing fee-for-service payment system does not reimburse physicians for practicing shared decision-making. The information presented in a discussion guide would take a doctor a considerable amount of time to discuss with each patient which puts an additional burden on doctors.

To be sure, physicians want to understand and act on patient preferences. When they learn how shared decision-making increases patient satisfaction and as up to date discussion guides become available and a system put in place that integrates them into clinical care, physicians are much more likely to adopt it.

What needs to be done?

The use of discussion guides should be standard medical practice. This can be accomplished in five ways:

- 1. Create a verification process where health plans report on whether patients were offered discussion guides in their decision-making process.* Congress should require that performance measures for physicians and health plans include how well they make use of discussion guides. For example, one of the leading sets of performance measures used by 90% of health

plans in the U.S., the Healthcare Effectiveness Data and Information Set (HEDIS) from the National Committee for Quality Assurance (NCQA),²⁶ measures shared decision-making tools.

The final regulations for Accountable Care Organizations (ACOs) from the Centers for Medicare and Medicaid Services (CMS) included shared decision-making measures.²⁷ Shared decision-making is now a quality measure for ACOs in the Medicare Shared Savings Program.²⁸ In order to be eligible for the Shared Savings Program, ACOs must report on numerous efforts to incorporate and increase patient engagement. Shared decision-making is also a criteria listed by NCQA for medical home recognition.²⁹ However, physicians' time and understanding of shared decision-making as well as the availability of updated discussion guides for use at the point of care has limited the adoption of discussion guides.³⁰

2. Establish standards for discussion guides. Discussion guides must be balanced, evidence-based and easily understandable to patients with low health literacy.³¹ But neither professional organizations nor government agencies have set minimum standards for discussion guides. As a result, the quality of currently available discussion guides varies widely. The Affordable Care Act includes a section meant to facilitate shared decision-making by developing quality measures for the use of discussion guides.³² It also calls for standards for discussion guides and outlines a certification process for these tools.³³ The problem is that Congress has not appropriated funding for the implementation of this section of the ACA.³⁴ But, using state innovation grant funding, the Centers for Medicaid and Medicare Services has sponsored efforts in the state of Washington to create standards and a certification process for discussion guides.

3. Provide incentives for health professionals to offer discussion guides to patients as a routine step in receiving Medicare payment. In addition to providing funding for the Administration to implement current law, Congress should

allow the Secretary of Health and Human Services to ensure the routine use of a standardized discussion guides among patients and shared decision making between the physician and patient in the case of tests or medical procedures where patients' preferences vary significantly. Physicians who use discussion guides generally find them helpful for having more productive conversations with patients and will not need further incentive to use them. But physicians who do not use them regularly (as indicated by the verification process described above) would simply show that a patient was offered a discussion guide in order to receive payment for services covered by a discussion guide. This process for spreading the use of discussion guides would start with a small list of common procedures where discussion guides have met federally-set standards. Over time, it would encompass all major types of preference-sensitive care. Physicians demonstrating regular and consistent use of discussion guides would not face any requirement to seek preauthorization based on the use of discussion guides.

4. Engage health professionals in the shared decision-making process and use of discussion guides through continuing medical education and medical school curriculum. Teaching health professionals about shared decision-making in continuing medical education sessions or as part of medical school curriculum is essential if we are to adopt widespread acceptance of shared decision-making and discussion guides.

5. Reform state informed consent laws to enable and encourage physicians to use medical discussion guides. Where providers are using discussion guides, it is important to find a way to ensure that these tools are being used and not just being marked off on a checklist.³⁵ This requires states to take two steps.

The first step is for states to reform informed consent laws. States should incorporate shared medical discussion guides and shared decision-making into the requirements for informed consent. The law should say that a patient who has

participated in that process automatically satisfies the requirement for informed consent.³⁶

The second step involves the states that are still using physician-based informed consent standards instead of patient-based informed consent. Half of the states use a physician-based informed consent standard that requires physicians to decide what information to share with patients based on what a reasonable physician would share in that situation. This standard has blocked doctors from using discussion guides and shared decision making because these are not yet part of routine medical practice.³⁷ Those states should mimic what Washington State has done with its informed consent law. There, physicians can follow informed consent requirements in the standard way, but if they use a certified patient decision aid as part of the informed consent process, the physician will receive a higher degree of legal protection from lawsuits. The use of the decision aid establishes a rebuttable presumption, which means that informed consent will be assumed in a lawsuit unless a plaintiff proves otherwise. This measure will encourage physicians to incorporate shared decision making and medical discussion guides into their practice.³⁸

Potential Savings

The federal budgetary savings from this proposal is \$11.3 billion dollars over ten years as shown in the chart below.³⁹ Total savings to national health care spending as a whole is \$18.3 billion over ten years. Those savings result from the use of medical discussion guides for four conditions with proven savings potential: hip and knee osteoarthritis, coronary heart disease, lower back pain, and breast cancer. The estimates come from randomized controlled trials of discussion guides for each of the treatment decisions. They include the cost of alternative treatments, which offsets a portion of the savings from patients choosing less aggressive care when using medical discussion guides. The chart below shows the year-by-year savings by the major sources of coverage.

Savings from Medical Discussion Guides											
(in \$billions)	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	10 years
Medicare	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0	1.0	9.3
Medicaid-federal	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.0
Total federal	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.2	1.2	11.3
Medicaid-state	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.4
Private health insurance	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.3
Out of pocket spending	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.4
Total-all sources	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.9	1.9	1.9	18.3

Source: Avalere: 2014, and Actuarial Research Corporation: 2014.

TOPICS

HEALTH CARE COSTS 51

AFFORDABLE CARE ACT 38

END NOTES

1. “Shared Decision Making in Practice: Dartmouth-Hitchcock Medical Center,” Informed Medical Decisions Foundation, Healthwise, Inc. Accessed March 4, 2015. Available at: http://www.informedmedicaldecisions.org/imdf_demo_site/dartmouth-hitchcock-medical-center/.
2. Annette M. O’Connor, Hilary A. Llewellyn-Thomas, and Ann Barry Flood, “Modifying Unwarranted Variations in Health Care: Shared Decision-making Using Patient Decision Aids,” Health Affairs, October 7, 2004. Accessed March 4, 2015. Available at: http://geiselmed.dartmouth.edu/cfm/education/PDF/shared_decision_making.pdf.
3. Allison W. Kurian, Daphne Y. Lichtensztajn, Theresa H. M. Keegan, David O. Nelson, Christina A. Clarke, and Scarlett L. Gomez, “Use of and Mortality After Bilateral Mastectomy Compared With Other Surgical Treatments for Breast Cancer in California, 1998–2011,” *The Journal of the American Medical Association*, September 3, 2014. Accessed March 4, 2015. Available at: http://jama.jamanetwork.com/article.aspx?articleID=1900512&utm_source=Silverchair%20Information%20Systems&utm_medium=email&utm_campaign=MASTER%3AJAMALatestIssueTOCNotification09%2F02%2F2014.

- 4.** M.G. Myriam Hunink and Paul P. Glasziou, *Decision-Making in Health and Medicine: Integrating Evidence and Values*, Cambridge University Press, 2001. Print.
- 5.** George Loewenstein, "Hot-Cold Empathy Gaps and Medical Decision-making," *Health Psychology*, Vol. 24, No. 4, 2005. Accessed March 4, 2015. Available at: <http://www.cmu.edu/dietrich/sds/docs/loewenstein/hotColdEmpathyGaps.pdf>.
- 6.** The Dartmouth Atlas of Health Care, " Inpatient Mastectomy for Cancer per 1,000 Female Medicare Enrollees, by Race" Table, 2012. Accessed March 2, 2015. Available at: <http://www.dartmouthatlas.org/data/table.aspx?ind=95,2012>; See also: "Table 54: Regional Differences in Rates of Mastectomy in the U.S." , Susan G. Komen Foundation, February 4, 2015. Accessed March 4, 2015. Available at: <http://www5.komen.org/BreastCancer/Table54Geographicvariationinratesofmastectomy.html>
- 7.** "Estimated Federal Impact of Policy Proposals for Use of Decision Aids," Avelere Health, Memo to Third Way, December 16, 2014. Available at: <http://thirdway.org/report/medicare-savings-medical-discussion-guides>.
- 8.** France Legare and Holly O. Witteman, "Shared Decision-making: Examining Key Elements and Barriers to Adoption Into Routine Clinical Practice," *Health Affairs*, 32, no. 2, (2013), Accessed March 4, 2015. Available at: <http://content.healthaffairs.org/content/32/2/276.full.pdf.html?sid=4b54cb3e-d868-4429-a9fb-713b0f08c85e>.
- 9.** United States, Department of Health and Human Services, Agency for Healthcare Research and Quality, "Shared Decision-making for Breast Cancer Patients Leads to High Levels of Patient Satisfaction, and Comfort with Decisions and Treatment Preferences," Agency for Healthcare Research and Quality. Accessed March 4, 2015. Available at: <https://innovations.ahrq.gov/profiles/shared-decision-making-breast-cancer-patients-leads-high-levels-patient-satisfaction-and>.

- 10.** Shannon Brown Lee and Joe Colucci, "The Cost of Assuming Doctors Know Best," *The Atlantic*, September 28, 2012. Accessed March 4, 2015. Available at: <http://www.theatlantic.com/health/archive/2012/09/the-cost-of-assuming-doctors-know-best/262993/>.
- 11.** United States, Department of Health & Human Services, "State Legislation Promotes Use of Shared Decisionmaking Through Demonstration Project, "Learning Collaborative, and Recognition of Decision Aids as Informed Consent." Agency for Healthcare Research and Quality. Accessed March 4, 2015. Available at: <https://innovations.ahrq.gov/profiles/state-legislation-promotes-use-shared-decisionmaking-through-demonstration-project-learning>.
- 12.** David Arterburn, Robert Wellman, Emily Westbrook, Carolyn Rutter, Tyler Ross, David McCulloch, Matthew Handley, and Charles Jung, "Introducing Decision Aids at Group Health Was Linked to Sharply Lower Hip and Knee Surgery Rates and Costs," *Health Affairs*, September 2012. Accessed March 4, 2015. Available at: <http://content.healthaffairs.org/content/31/9/2094.full>.
- 13.** Shannon Brown Lee and Joe Colucci, "The Cost of Assuming Doctors Know Best," *The Atlantic*, September 28, 2012. Accessed March 4, 2015. Available at: <http://www.theatlantic.com/health/archive/2012/09/the-cost-of-assuming-doctors-know-best/262993/>.
- 14.** David Arterburn, Robert Wellman, Emily Westbrook, Carolyn Rutter, Tyler Ross, David McCulloch, Matthew Handley, and Charles Jung, "Introducing Decision Aids at Group Health Was Linked to Sharply Lower Hip and Knee Surgery Rates and Costs," *Health Affairs*, September 2012, Accessed March 4, 2015. Available at: <http://content.healthaffairs.org/content/31/9/2094.full>.

- 15.** Maine's Joint Standing Committee on Health and Human Services and the Joint Standing Committee on Insurance and Financial Services, "Final Report: The Practice and Impact of Shared Decision-making," Report, February 2011. Accessed March 4, 2015. Available at: http://muskie.usm.maine.edu/Publications/PHP/Shared-Decision-Making_Final-Report.pdf.
- 16.** Maine's Joint Standing Committee on Health and Human Services and the Joint Standing Committee on Insurance and Financial Services, "Final Report: The Practice and Impact of Shared Decision-making," Report, February 2011. Accessed March 4, 2015. Available at: http://muskie.usm.maine.edu/Publications/PHP/Shared-Decision-Making_Final-Report.pdf.
- 17.** "Shared Decision Making Resource Center," MaineHealth. Accessed March 4, 2015. Available at: http://www.mainehealth.org/mh_body.cfm?id=7850.
- 18.** "Is a PSA Test Right for You," Health Crossroads. Accessed March 4, 2015. Available at: <https://www.healthcrossroads.com/example/crossroad.aspx?contentGUID=fc326615-5b29-47f1-87c3-9a3e2d946919>.
- 19.** "Prostate cancer screening: Should you get a PSA test?" Mayo Clinic. Accessed March 4, 2015. Available at: <http://www.mayoclinic.org/diseases-conditions/prostate-cancer/in-depth/prostate-cancer/art-20048087>.
- 20.** "Prostate cancer screening: Should you get a PSA test?" Mayo Clinic. Accessed March 4, 2015. Available at: <http://www.mayoclinic.org/diseases-conditions/prostate-cancer/in-depth/prostate-cancer/art-20048087>.
- 21.** R Evans, A Edwards, J Brett, M Bradburn, E Watson, J Austoker, and G Elwyn, "Reduction in uptake of PSA tests following decision aids: systematic review of current aids and their evaluations," Patient Education and Counseling, July 2005. Accessed March 4, 2015. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/15950832>.

- 22.** “How the Foundation Develops Decision Aids,” Informed Medical Decisions Foundation. Accessed March 4, 2015. Available at:
http://informedmedicaldecisions.org/wp-content/uploads/2013/05/DA_Development_Brief.pdf.
- 23.** United States, Department of Health and Human Services, Maria Suarez-Almazor, “Using Decision Aids to Enhance Shared-Decision-making,” Slide Presentation from the AHRQ 2009 conference, Agency for Healthcare Research and Quality, 2009. Accessed March 4, 2015. Available at:
<http://www.ahrq.gov/news/events/conference/2009/suarez-almazor/index.html>.
- 24.** Grace A Lin, Meghan Halley, Katharine A.S. Rendle, Caroline Tietbohl, Suepattra G. May, Laurel Trujillo, and Dominick L. Frosch, “An Effort to Spread Decision Aids in Five California Primary Care practices Yielded Low Distribution, Highlighting Hurdles,” *Health Affairs*, February 2013. Accessed March 4, 2015. Available at:
<http://content.healthaffairs.org/content/32/2/311.full?ijkey=4avZ0j.R7SKI.&keytype=ref&siteid=healthaff>.
- 25.** Eduardo Bruera, Catherine Sweeney, Kathryn Calder, Lynn Palmer, and Suzanne Benisch-Tolley, “Patient Preferences Versus Physician Perceptions of Treatment Decisions in Cancer Care,” *Journal of Clinical Oncology*, June 2001, Accessed March 4, 2015. Available at:
<http://jco.ascopubs.org/content/19/11/2883.abstract>.
- 26.** “HEDIS and Quality Compass,” NCOA. Accessed March 4, 2015. Available at:
<http://www.ncqa.org/HEDISQualityMeasurement/WhatIsHEDIS.aspx>.
- 27.** Adi Shafir and Jill Rosenthal, “Shared Decision-making: Advancing Patient-Centered Care Through State and Federal Implementation,” National Academy for State Health Policy, Informed Medical Decisions Foundation, Accessed March 4, 2015. Available at:
<http://www.nashp.org/publication/shared-decision-making-advancing-patient-centered-care-through-state-and-federal>.

- 28.** Lola Butcher, "Shared Decision-Making: Giving the Patient a Say. No, Really," Hospitals and Health Networks, May 1, 2013. Accessed March 4, 2015. Available at: [http://www.hhnmag.com/display/HHN-news-article.dhtml?
dcrPath=/templatedata/HF_Common/NewsArticle/data/
HHN/Magazine/2013/May/0513HHN_coverstory&domai
n=HHNMAG](http://www.hhnmag.com/display/HHN-news-article.dhtml?dcrPath=/templatedata/HF_Common/NewsArticle/data/HHN/Magazine/2013/May/0513HHN_coverstory&domain=HHNMAG).
- 29.** Lola Butcher, "Shared Decision-Making: Giving the Patient a Say. No, Really," Hospitals and Health Networks, May 1, 2013. Accessed March 4, 2015. Available at: [http://www.hhnmag.com/display/HHN-news-article.dhtml?
dcrPath=/templatedata/HF_Common/NewsArticle/data/
HHN/Magazine/2013/May/0513HHN_coverstory&domai
n=HHNMAG](http://www.hhnmag.com/display/HHN-news-article.dhtml?dcrPath=/templatedata/HF_Common/NewsArticle/data/HHN/Magazine/2013/May/0513HHN_coverstory&domain=HHNMAG).
- 30.** Lola Butcher, "Shared Decision-Making: Giving the Patient a Say. No, Really," Hospitals and Health Networks, May 1, 2013. Accessed March 4, 2015. Available at: [http://www.hhnmag.com/display/HHN-news-article.dhtml?
dcrPath=/templatedata/HF_Common/NewsArticle/data/
HHN/Magazine/2013/May/0513HHN_coverstory&domai
n=HHNMAG](http://www.hhnmag.com/display/HHN-news-article.dhtml?dcrPath=/templatedata/HF_Common/NewsArticle/data/HHN/Magazine/2013/May/0513HHN_coverstory&domain=HHNMAG).
- 31.** Shannon Brown Lee, Vanessa Hurley, and Ben Moulton, "Avoidable Ignorance: Patient Decision Aids and Shared Decision-making," December 2012. Accessed March 4, 2015. Available at: http://newamerica.net/sites/newamerica.net/files/policy_docs/Avoidable%20Ignorance_o.pdf.
- 32.** Adi Shafir and Jill Rosenthal, "Shared Decision-making: Advancing Patient-Centered Care Through State and Federal Implementation," National Academy for State Health Policy, Informed Medical Decisions Foundation, Accessed March 4, 2015. Available at: <http://www.nashp.org/publication/shared-decision-making-advancing-patient-centered-care-through-state-and-federal>.

- 33.** Ann O'Malley, Emily Carrier, Elizabeth Docteur, Alison Shmerling, and Eugene Rich, "Policy Options to Encourage Patient-Physician Shared Decision-making," National Institute for Health Care Reform, NIHCR Policy Analysis No. 5, September 2011, Accessed March 4, 2015. Available at: <http://www.nihcr.org/Shared-Decision-Making>.
- 34.** Emily Oshima Lee, and Ezekiel J. Emanuel, "Shared Decision-making to Improve Care and Reduce Costs," *New England Journal of Medicine*, January 3, 2013. Accessed March 4, 2015. Available at: <http://www.nejm.org/doi/full/10.1056/NEJMp1209500>.
- 35.** It is important to note that many additional situations that are not appropriate for shared decision making require informed consent. Informed consent is applied in many different clinical scenarios.
- 36.** Jaime Staples King and Benjamin Moulton, "Rethinking Informed Consent: The Case for Shared Medical Decision-Making," *American Journal of Law & Medicine*, 2006, Accessed March 4, 2015. Available at: <http://allhealth.org/briefingmaterials/King-rethinkinginformedconsent-1943.pdf>.
- 37.** Daniel Merenstein, "Winners and Losers," *The Journal of American Medical Association*, Vol. 291, pp.15-16, 2004. Accessed March 2, 2015. Available at: <http://jama.jamanetwork.com/article.aspx?articleid=197947>.
- 38.** Daniel Merenstein, "Winners and Losers," *The Journal of American Medical Association*, Vol. 291, pp.15-16, 2004. Accessed March 2, 2015. Available at: <http://jama.jamanetwork.com/article.aspx?articleid=197947>.

39. “Estimated Federal Impact of Policy Proposals for Use of Decision Aids,” Avelere Health, Memo to Third Way, December 16, 2014. Available at: <http://thirdway.org/report/medicare-savings-medical-discussion-guides>; See also “Final Scoring Memo: Medical Discussion Guides,” Actuarial Research Corporation, Memo to Third Way, February 26, 2015. Available at: <http://thirdway.org/report/national-health-expenditure-savings-medical-discussion-guides>.